

## COMPARATIVE ASSESSMENT RESULT - REGISTRY OF QUALIFIED APPLICANTS (CAR - RQA)

Position: TEACHER I - JHS - AP

Date of Final Deliberation:

Schools Division Office: Division of Northern Samar

No	Application Code	COMPARATIVE ASSESSMENT RESULT							Remarks	For Background Investigation (Y / N)		For Appointment (to be filled-out by the Appointing Officer/ Authority; Please sign opposite the name of the applicant)	For Probation (Please identify period of probation (6 months or 1 year) in accordance with Section F of DO 019, s. 2022)
		Education (10 pts)	Training (10 pts)	Experience (10 pts)	PBET/LET/LEPT Rating (10 pts)	PPST COIs (Classroom Observation pts) (35)	PPST NCOIs (Teacher Reflection) (25 pts)	Total		Yes	No		
1	26JHS0001	0	10	2	7.92	32	20	<b>71.92</b>					
2	26JHS0002	10	10	10	7.62	31.5	17.5	<b>86.62</b>					
3	26JHS0003	2	10	10	7.82	31.5	20	<b>81.32</b>					
4	26JHS0004	0	10	0	7.52	35	15	<b>67.52</b>					
5	26JHS0005	6	0	2	8.74	33.74	22.5	<b>72.98</b>					
6	26JHS0006	0	10	10	7.64	30.33	20	<b>77.97</b>					
7	26JHS0007	0	10	0	7.68	32.67	20	<b>70.35</b>					
8	26JHS0008	0	8	2	8.12	30.33	22.5	<b>70.95</b>					
9	26JHS0009	0	10	6	7.86	33.83	25	<b>82.69</b>					
10	26JHS0010	0	10	4	8.08	33	15	<b>70.08</b>					
11	26JHS0011	0	10	10	7.62	30.33	22.5	<b>80.45</b>					
12	26JHS0012	0	10	0	7.92	29.16	17.5	<b>64.58</b>					
13	26JHS0013	0	10	0	7.54	32	20	<b>69.54</b>					
14	26JHS0014	0	10	0	8.52	30.33	22.5	<b>71.35</b>					
15	26JHS0015	6	10	2	7.5	29.16	17.5	<b>72.16</b>					
16	26JHS0016	10	10	10	7.5	26.83	22.5	<b>86.83</b>					
17	26JHS0017	0	10	0	7.9	29.17	25	<b>72.07</b>					
18	26JHS0018	0	10	0	7.92	33.83	22.5	<b>74.25</b>					
19	26JHS0019	0	10	0	8.12	32.66	22.5	<b>73.28</b>					
20	26JHS0020	0	10	6	7.76	24.5	15	<b>63.26</b>					
21	26JHS0021	0	10	0	7.64	32	15	<b>64.64</b>					

22	26JHS0022	0	10	0	7.7	33	20	<b>70.70</b>					
23	26JHS0023	0	6	10	7.86	29.16	25	<b>78.02</b>					
24	26JHS0024	0	10	6	7.92	35	17.5	<b>76.42</b>					
25	26JHS0025	0	10	0	7.5	28	22.5	<b>68.00</b>					
26	26JHS0026	6	10	10	7.66	35	25	<b>93.66</b>					
27	26JHS0027	0	10	10	8.64	35	15	<b>78.64</b>					
28	26JHS0028	0	10	0	7.78	30.31	20	<b>68.09</b>					
29	26JHS0029	0	10	2	7.88	31.5	22.5	<b>73.88</b>					
30	26JHS0030	0	10	10	7.66	30.33	20	<b>77.99</b>					
31	26JHS0031	0	10	8	7.7	31.5	17.5	<b>74.70</b>					
32	26JHS0032	0	10	6	8.44	30.33	17.5	<b>72.27</b>					
33	26JHS0033	0	10	0	8.32	30.33	25	<b>73.65</b>					
34	26JHS0034	0	10	6	7.68	29.17	20	<b>72.85</b>					
35	26JHS0035	10	10	0	8.2	33.83	25	<b>87.03</b>					
36	26JHS0036	0	10	0	7.82	32.67	22.5	<b>72.99</b>					
37	26JHS0037	0	8	8	7.66	32	20	<b>75.66</b>					
38	26JHS0038	4	10	0	8.32	29.15	25	<b>76.47</b>					
39	26JHS0039	0	10	0	8.12	26.83	25	<b>69.95</b>					
40	26JHS0040	0	10	0	7.56	30.3	17.5	<b>65.36</b>					
41	26JHS0041	0	10	2	8.24	31.5	25	<b>76.74</b>					
42	26JHS0042	10	10	10	7.6	32.67	25	<b>95.27</b>					
43	26JHS0043	0	10	0	8.14	29.16	15	<b>62.30</b>					
44	26JHS0044	0	10	4	8.02	35	15	<b>72.02</b>					
45	26JHS0045	4	10	2	7.54	28	25	<b>76.54</b>					
46	26JHS0046	0	10	2	7.66	32	22.5	<b>74.16</b>					
47	26JHS0047	0	10	8	7.7	32	17.5	<b>75.20</b>					
48	26JHS0048	0	10	0	7.72	30.33	22.5	<b>70.55</b>					
49	26JHS0049	0	10	0	7.8	35	25	<b>77.80</b>					
50	26JHS0050	0	10	0	7.7	35	20	<b>72.70</b>					

51	26JHS0051	8	10	8	7.86	32.67	20	<b>86.53</b>					
52	26JHS0052	0	10	0	7.98	32.67	22.5	<b>73.15</b>					
53	26JHS0053	0	10	0	7.62	29.17	22.5	<b>69.29</b>					
54	26JHS0054	0	10	4	7.9	31.5	22.5	<b>75.90</b>					
55	26JHS0055	4	10	6	7.84	35	20	<b>82.84</b>					
56	26JHS0056	0	10	0	8.48	31.5	22.5	<b>72.48</b>					
57	26JHS0057	0	10	10	7.58	26.83	17.5	<b>71.91</b>					
58	26JHS0058	0	10	0	7.62	29.16	20	<b>66.78</b>					
59	26JHS0059	0	10	0	7.62	31.5	20	<b>69.12</b>					
60	26JHS0060	0	10	0	7.7	33.83	22.5	<b>74.03</b>					
61	26JHS0062	0	10	4	7.62	31.5	20	<b>73.12</b>					
62	26JHS0063	10	10	2	7.62	29.16	20	<b>78.78</b>					
63	26JHS0064	0	10	0	7.98	29.32	22.5	<b>69.80</b>					
64	26JHS0065	0	10	2	7.88	28	25	<b>72.88</b>					
65	26JHS0066	0	10	6	7.74	32.66	17.5	<b>73.90</b>					
66	26JHS0067	0	10	0	8.04	35	17.5	<b>70.54</b>					
67	26JHS0068	10	10	0	8.04	33.83	25	<b>86.87</b>					
68	26JHS0069	0	10	10	7.68	32.67	20	<b>80.35</b>					
69	26JHS0070	0	10	4	7.82	33.83	25	<b>80.65</b>					
70	26JHS0071	0	10	0	7.54	32.67	22.5	<b>72.71</b>					
71	26JHS0072	0	10	0	8.22	35	25	<b>78.22</b>					
72	26JHS0073	0	10	0	7.84	31.5	22.5	<b>71.84</b>					
73	26JHS0074	0	10	0	8.32	31.5	20	<b>69.82</b>					
74	26JHS0075	0	10	0	7.56	30.33	15	<b>62.89</b>					
75	26JHS0076	0	10	4	7.6	29.16	10	<b>60.76</b>					
76	26JHS0077	0	10	0	7.62	23.33	22.5	<b>63.45</b>					
77	26JHS0078	0	10	0	8.54	31.5	25	<b>75.04</b>					
78	26JHS0079	4	10	2	8.1	32.67	20	<b>76.77</b>					
79	26JHS0080	6	10	0	7.88	35	20	<b>78.88</b>					

80	26JHS0081	0	10	2	8.16	33.83	22.5	<b>76.49</b>					
81	26JHS0082	0	10	8	7.88	35	15	<b>75.88</b>					
82	26JHS0083	0	10	0	8.68	33.83	25	<b>77.51</b>					
83	26JHS0084	10	10	0	8	33.83	22.5	<b>84.33</b>					
84	26JHS0085	0	10	6	7.5	29.1	20	<b>72.60</b>					
85	26JHS0086	6	10	6	8.2	33	22.5	<b>85.70</b>					
86	26JHS0087	0	10	4	8.22	28	22.5	<b>72.72</b>					
87	26JHS0088	10	10	4	8.2	31.5	20	<b>83.70</b>					
88	26JHS0089	0	10	2	8.42	30.33	25	<b>75.75</b>					
89	26JHS0090	8	10	6	7.86	31.5	25	<b>88.36</b>					
90	26JHS0091	0	10	4	7.98	32.67	20	<b>74.65</b>					
91	26JHS0092	0	10	10	7.88	30.33	25	<b>83.21</b>					
92	26JHS0093	4	10	4	7.54	26.8	17.5	<b>69.84</b>					
93	26JHS0094	10	10	0	8.02	35	25	<b>88.02</b>					
94	26JHS0095	10	10	10	8	32	20	<b>90.00</b>					
95	26JHS0096	0	10	6	7.54	31.5	20	<b>75.04</b>					
96	26JHS0097	6	10	6	7.56	28	22.5	<b>80.06</b>					
97	26JHS0098	10	0	10	7.58	30.45	17.5	<b>75.53</b>					
98	26JHS0099	0	10	4	8.04	30.33	20	<b>72.37</b>					
99	26JHS0100	0	10	4	7.5	35	15	<b>71.50</b>					
100	26JHS0101	0	10	0	8.42	33.83	25	<b>77.25</b>					
101	26JHS0102	0	10	0	7.66	31.5	17.5	<b>66.66</b>					
102	26JHS0103	0	10	10	8.22	32.66	25	<b>85.88</b>					
103	26JHS0104	0	10	0	7.88	31.5	20	<b>69.38</b>					
104	26JHS0105	0	10	10	7.94	30.33	20	<b>78.27</b>					
105	26JHS0106	0	10	6	7.5	32.67	22.5	<b>78.67</b>					
106	26JHS0107	0	10	10	7.8	33	20	<b>80.80</b>					
107	26JHS0108	0	10	4	7.7	33	25	<b>79.70</b>					
108	26JHS0109	0	10	0	8.32	30.33	25	<b>73.65</b>					

109	26JHS0110	0	10	0	8.44	30.3	20	<b>68.74</b>					
110	26JHS0111	10	10	2	8.28	33.95	25	<b>89.23</b>					
111	26JHS0112	0	10	8	8.22	30.33	22.5	<b>79.05</b>					
112	26JHS0113	0	10	10	7.6	30.3	25	<b>82.90</b>					
113	26JHS0114	0	10	2	7.7	32.66	22.5	<b>74.86</b>					
114	26JHS0115	10	10	0	8.34	35	17.5	<b>80.84</b>					
115	26JHS0116	8	10	8	7.78	35	20	<b>88.78</b>					
116	26JHS0117	0	10	8	8.04	30.33	20	<b>76.37</b>					
117	26JHS0118	6	10	0	8.66	35	22.5	<b>82.16</b>					
118	26JHS0119	0	10	0	8.22	33.83	22.5	<b>74.55</b>					
119	26JHS0120	6	10	2	8.18	35	20	<b>81.18</b>					
120	26JHS0121	0	10	10	8.42	32.67	22.5	<b>83.59</b>					
121	26JHS0122	0	10	0	8.28	25.66	22.5	<b>66.44</b>					
122	26JHS0123	10	10	6	8.24	33	25	<b>92.24</b>					
123	26JHS0124	0	6	8	7.88	31.1	21.66	<b>74.64</b>					
124	26JHS0125	4	10	10	7.74	30.33	25	<b>87.07</b>					
125	26JHS0126	0	10	4	7.52	32.67	22.5	<b>76.69</b>					
126	26JHS0127	0	10	0	8.7	31.5	22.5	<b>72.70</b>					
127	26JHS0128	0	10	0	8.48	33.83	22.5	<b>74.81</b>					
128	26JHS0129	0	10	2	8.22	32	22.5	<b>74.72</b>					
129	26JHS0130	6	10	10	7.56	31.5	20	<b>85.06</b>					
130	26JHS0131	0	10	6	7.76	28	22.5	<b>74.26</b>					
131	26JHS0132	0	10	4	7.96	31.5	25	<b>78.46</b>					
132	26JHS0133	10	10	10	8.28	30.33	17.5	<b>86.11</b>					
133	26JHS0134	10	10	6	8.04	30.33	20	<b>84.37</b>					
134	26JHS0135	0	10	0	8	35	22.5	<b>75.50</b>					
135	26JHS0136	0	10	0	6.9	35	20	<b>71.90</b>					
136	26JHS0137	0	10	10	7.72	35	25	<b>87.72</b>					
137	26JHS0138	0	10	0	7.88	32.66	22.5	<b>73.04</b>					

138	26JHS0139	0	10	0	8.88	32.66	25	<b>76.54</b>					
139	26JHS0140	8	10	4	8.36	35	22.5	<b>87.86</b>					
140	26JHS0592	0	10	2	7.62	31.5	22.5	<b>73.62</b>					
141	26JHS0674	2	10	2	7.88	35	20	<b>76.88</b>					
142	26JHS0685	0	10	10	7.84	35	17.5	<b>80.34</b>					
143	26JHS0688	0	10	0	8.66	35	20	<b>73.66</b>					
144	26JHS0690	0	10	0	8.1	35	17.5	<b>70.60</b>					
145	26JHS0703	0	10	0	8.06	35	20	<b>73.06</b>					
146	26JHS0705	0	10	2	7.8	35	17.5	<b>72.30</b>					
147	26JHS0706	0	10	6	7.66	35	15	<b>73.66</b>					
148	26JHS0710	0	10	0	7.5	35	17.5	<b>70.00</b>					
149	26JHS0718	0	10	10	7.52	35	15	<b>77.52</b>					
150	26JHS0720	2	10	10	7.56	35	20	<b>84.56</b>					
151	26JHS0722	0	10	0	7.82	35	15	<b>67.82</b>					
152	26JHS0729	0	10	6	8.14	35	25	<b>84.14</b>					
153	26JHS0733	0	10	10	7.62	35	15	<b>77.62</b>					
154	26JHS0734	0	10	4	7.74	35	25	<b>81.74</b>					
155	26JHS0736	0	10	0	8.48	35	15	<b>68.48</b>					
156	26JHS0738	0	10	6	7.52	31.5	25	<b>80.02</b>					
157	26JHS0755	0	10	0	7.68	35	15	<b>67.68</b>					
158	26JHS0757	0	10	4	8.6	35	15	<b>72.60</b>					
159	26JHS0765	0	10	2	8.44	35	20	<b>75.44</b>					
160	26JHS0771	0	10	0	7.88	35	15	<b>67.88</b>					
161	26JHS0777	0	10	10	7.6	32.67	15	<b>75.27</b>					
162	26JHS0786	0	4	0	8.12	35	15	<b>62.12</b>					
163	26JHS0788	0	10	0	7.5	35	22.5	<b>75.00</b>					
164	26JHS0790	0	10	6	7.84	35	15	<b>73.84</b>					
165	26JHS0807	0	10	0	8.48	35	25	<b>78.48</b>					
166	26JHS0810	0	10	10	8.62	35	20	<b>83.62</b>					

167	26JHS0811	0	10	2	7.6	31.5	20	<b>71.10</b>					
168	26JHS0813	2	4	2	7.8	35	17.5	<b>68.30</b>					
169	26JHS0838	2	10	0	8	35	25	<b>80.00</b>					
170	26JHS0839	0	10	0	7.56	29.17	15	<b>61.73</b>					
171	26JHS0842	0	10	0	7.5	35	25	<b>77.50</b>					
172	26JHS0848	0	10	8	7.5	35	17.5	<b>78.00</b>					
173	26JHS0850	0	10	8	8.02	35	25	<b>86.02</b>					
174	26JHS0852	0	0	10	7.52	33.83	20	<b>71.35</b>					
175	26JHS0860	0	10	10	7.56	35	15	<b>77.56</b>					
176	26JHS0863	6	10	10	7.76	35	25	<b>93.76</b>					
177	26JHS0864	0	10	0	8.66	35	25	<b>78.66</b>					
178	26JHS0870	0	10	10	7.5	35	20	<b>82.50</b>					
179	26JHS0871	0	10	0	7.9	35	15	<b>67.90</b>					
180	26JHS0903	0	10	4	7.66	35	15	<b>71.66</b>					
181	26JHS0904	0	10	0	7.68	35	25	<b>77.68</b>					
182	26JHS0905	0	10	0	7.5	35	22.5	<b>75.00</b>					
183	26JHS0924	0	10	0	7.74	35	22.5	<b>75.24</b>					
184	26JHS0956	0	10	8	7.5	35	17.5	<b>78.00</b>					
185	26JHS0957	0	10	4	7.5	34	15	<b>70.50</b>					
186	26JHS0968	10	10	10	7.7	35	25	<b>97.70</b>					
187	26JHS0971	0	10	2	7.56	35	15	<b>69.56</b>					
188	26JHS0978	0	10	0	7.5	35	25	<b>77.50</b>					
189	26JHS0981	0	10	2	7.8	35	15	<b>69.80</b>					
190	26JHS0996	0	10	0	8.74	35	15	<b>68.74</b>					
191	26JHS0997	0	10	0	7.98	35	15	<b>67.98</b>					
192	26JHS1010	10	10	6	8.4	32.67	25	<b>92.07</b>					
193	26JHS1013	0	10	0	7.86	35	15	<b>67.86</b>					
194	26JHS1032	0	6	4	7.5	35	25	<b>77.50</b>					
195	26JHS1033	0	10	2	7.5	33.83	25	<b>78.33</b>					

196	26JHS1049	0	10	0	7.5	35	15	<b>67.50</b>					
197	26JHS1050	0	10	0	7.9	35	20	<b>72.90</b>					
198	26JHS1051	0	10	0	7.96	35	15	<b>67.96</b>					
199	26JHS1052	0	10	0	7.72	35	15	<b>67.72</b>					
200	26JHS1054	0	10	0	7.5	35	20	<b>72.50</b>					
201	26JHS1055	2	10	2	8.1	35	25	<b>82.10</b>					
202	26JHS1056	0	10	4	7.78	35	15	<b>71.78</b>					
203	26JHS1057	0	10	2	7.5	35	17.5	<b>72.00</b>					
204	26JHS1058	0	10	6	8.14	35	25	<b>84.14</b>					
205	26JHS1059	0	10	6	8.48	35	17.5	<b>76.98</b>					
206	26JHS1060	0	10	4	7.68	35	15	<b>71.68</b>					
207	26JHS1061	0	10	0	8.08	35	15	<b>68.08</b>					
208	26JHS1062	0	10	0	7.78	35	25	<b>77.78</b>					
209	26JHS1063	0	10	0	8.12	35	15	<b>68.12</b>					
210	26JHS1064	0	10	0	8.38	35	15	<b>68.38</b>					
211	26JHS1065	0	10	2	7.62	35	22.5	<b>77.12</b>					
212	26JHS1067	0	10	2	8.14	35	20	<b>75.14</b>					
213	26JHS1068	0	10	6	8.08	35	22.5	<b>81.58</b>					
214	26JHS1082	0	10	6	7.98	35	25	<b>83.98</b>					

Prepared by the HRMPSB

Appointment conferred by:

EUNICE V. TARINGTING  
HRMO  
HRMPSB Member

SYLVIA D. VILLANUEVA  
Chief, CID  
HRMPSB Member

NOE M. HERMOSILLA  
Chief, SGOD  
HRMPSB Member

MICHELLE D. CAGUIMBAL  
Administrative Officer V  
HRMPSB Member

REY F. BULAWAN, EdD  
Asst Schools Division Superintendent  
HRMPSB Chairperson

GAUDENCIO C. ALJIBE JR., PhD, CESO V  
Schools Division Superintendent  
Appointing Authority