

# COMPARATIVE ASSESSMENT RESULT - REGISTRY OF QUALIFIED APPLICANTS (CAR - RQA)

Position: TEACHER I - SHS - TVL

Date of Final Deliberation:

Schools Division Office: Division of Northern Samar

No	Application Code	COMPARATIVE ASSESSMENT RESULT							Remarks	For Background Investigation (Y / N)		For Appointment (to be filled-out by the Appointing Officer/ Authority; Please sign opposite the name of the applicant)	For Probation (Please identify period of probation (6 months or 1 year) in accordance with Section F of DO 019, s. 2022)	
		Education (10 pts)	Training (10 pts)	Experience (10 pts)	PBET/LET/LEPT Rating (10 pts)	PPST COIs (Classroom Observation (35 pts))	PPST NCOIs (Teacher Reflection) (25 pts)	Total		Yes	No			
1	26SHS0300	0	10	10	8.04	33.83	22.5	<b>84.37</b>		TVL-AFA				
2	26SHS0301	0	10	2	7.96	33.83	22.5	<b>76.29</b>		TVL-AFA				
3	26SHS0302	0	10	10	7.54	33.85	17.5	<b>78.89</b>		TVL-AFA				
4	26SHS0303	0	10	10	7.5	35	22.5	<b>85.00</b>		TVL-AFA				
5	26SHS0304	0	10	10	7.56	33.83	25	<b>86.39</b>		TVL-AFA				
6	26SHS0305	0	10	0	7.7	29.16	17.5	<b>64.36</b>		TVL-AFA				
7	26SHS0306	6	10	0	7.6	33.84	17.5	<b>74.94</b>		TVL-AFA				
8	26SHS0307	6	10	4	7.86	33.84	22.5	<b>84.20</b>		TVL-AFA				
9	26SHS0308	0	10	2	8.04	32.66	20	<b>72.70</b>		TVL-AFA				
10	26SHS0309	0	10	6	7.68	35	15	<b>73.68</b>		TVL-AFA				
11	26SHS0310	0	10	2	8.24	35	22.5	<b>77.74</b>		TVL-AFA				
12	26SHS0311	0	10	2	8.16	33.83	22.5	<b>76.49</b>		TVL-AFA				
13	26SHS0312	0	10	8	7.82	33.83	22.5	<b>82.15</b>		TVL-AFA				
14	26SHS0313	0	10	4	7.72	33.83	22.5	<b>78.05</b>		TVL-AFA				
15	26SHS0314	0	10	0	7.66	33.83	17.5	<b>68.99</b>		TVL-AFA				
16	26SHS0315	0	10	0	7.7	35	17.5	<b>70.20</b>		TVL-AFA				
17	26SHS0316	8	10	2	7.56	35	20	<b>82.56</b>		TVL-AFA				
18	26SHS0317	0	10	2	7.74	31.5	25	<b>76.24</b>		TVL-AFA				
19	26SHS0318	8	10	2	7.54	33.83	20	<b>81.37</b>		TVL-AFA				
20	26SHS0319	0	10	8	7.5	33.83	20	<b>79.33</b>		TVL-AFA				
21	26SHS0320	0	10	10	7.58	35	20	<b>82.58</b>		TVL-AFA				

22	26SHS0321	10	10	0	7.5	33.83	22.5	<b>83.83</b>		TVL-AFA				
23	26SHS0322	0	10	10	7.5	33.85	17.5	<b>78.85</b>		TVL-AFA				
24	26SHS0323	0	10	10	7.58	33.83	20	<b>81.41</b>		TVL-AFA				
25	26SHS0324	0	10	10	7.64	33.85	17.5	<b>78.99</b>		TVL-AFA				
26	26SHS0325	0	10	4	7.54	33.84	22.5	<b>77.88</b>		TVL-AFA				
27	26SHS0326	10	10	6	7.5	35	15	<b>83.50</b>		TVL-AFA				
28	26SHS0327	0	10	0	7.7	33.83	22.5	<b>74.03</b>		TVL-AFA				
29	26SHS0328	0	10	8	7.96	32.66	17.5	<b>76.12</b>		TVL-AFA				
30	26SHS0329	8	10	0	7.58	33.83	22.5	<b>81.91</b>		TVL-AFA				
31	26SHS0330	0	10	2	7.56	33.84	15	<b>68.40</b>		TVL-AFA				
32	26SHS0331	0	10	10	7.92	31.5	17.5	<b>76.92</b>		TVL-AFA				
33	26SHS0332	0	10	4	7.5	35	22.5	<b>79.00</b>		TVL-AFA				
34	26SHS0333	0	10	10	7.9	32.66	22.5	<b>83.06</b>		TVL-AFA				
35	26SHS0334	0	10	10	7.66	32.67	25	<b>85.33</b>		TVL-AFA				
36	26SHS0335	0	10	0	7.76	33.83	20	<b>71.59</b>		TVL-AFA				
37	26SHS0336	0	10	8	7.66	31.5	20	<b>77.16</b>		TVL-AFA				
38	26SHS0337	0	0	4	7.96	35	22.5	<b>69.46</b>		TVL-AFA				
39	26SHS0338	10	10	8	7.54	35	17.5	<b>88.04</b>		TVL-AFA				
40	26SHS0339	10	10	10	7.56	35	15	<b>87.56</b>		TVL-AFA				
41	26SHS0340	0	10	0	7.6	35	25	<b>77.60</b>		TVL-AFA				
42	26SHS0341	0	10	8	7.72	35	17.5	<b>78.22</b>		TVL-AFA				
43	26SHS0342	0	10	8	7.7	33.84	20	<b>79.54</b>		TVL-AFA				
44	26SHS0343	0	10	8	7.64	35	17.5	<b>78.14</b>		TVL-AFA				
45	26SHS0344	0	10	2	7.6	29.16	15	<b>63.76</b>		TVL-AFA				
46	26SHS0345	0	10	10	8.22	35	22.5	<b>85.72</b>		TVL-AFA				
47	26SHS0346	0	10	2	7.7	35	20	<b>74.70</b>		TVL-AFA				
48	26SHS0347	0	10	4	7.54	32.67	20	<b>74.21</b>		TVL-AFA				
49	26SHS0348	0	10	4	7.5	33.83	22.5	<b>77.83</b>		TVL-AFA				
50	26SHS0349	0	10	8	7.62	33.83	22.5	<b>81.95</b>		TVL-AFA				

51	26SHS0350	0	4	8	7.6	32.66	12.5	<b>64.76</b>		TVL-AFA				
52	26SHS0351	0	10	6	7.5	32.66	20	<b>76.16</b>		TVL-AFA				
53	26SHS0352	0	10	4	7.82	35	20	<b>76.82</b>		TVL-AFA				
54	26SHS0353	0	10	4	8	33.25	20	<b>75.25</b>		TVL-AFA				
55	26SHS0354	0	10	2	7.96	35	22.5	<b>77.46</b>		TVL-AFA				
56	26SHS0355	0	10	6	7.66	32.67	25	<b>81.33</b>		TVL-AFA				
57	26SHS0356	0	10	4	7.66	35	25	<b>81.66</b>		TVL-AFA				
58	26SHS0357	0	10	10	7.5	35	17.5	<b>80.00</b>		TVL-AFA				
59	26SHS0358	0	10	4	8.04	32.66	25	<b>79.70</b>		TVL-AFA				
60	26SHS0359	0	10	4	8.12	33.83	20	<b>75.95</b>		TVL-AFA				
61	26SHS0360	0	10	0	8.22	31.5	22.5	<b>72.22</b>		TVL-AFA				
62	26SHS0361	0	10	0	7.82	35	22.5	<b>75.32</b>		TVL-AFA				
63	26SHS0362	0	0	0	7.5	31.5	20	<b>59.00</b>		TVL-AFA				
64	26SHS0363	0	10	4	7.54	30.33	25	<b>76.87</b>		TVL-AFA				
65	26SHS0364	0	10	2	7.84	33.83	15	<b>68.67</b>		TVL-AFA				
66	26SHS0365	0	10	6	7.52	35	20	<b>78.52</b>		TVL-AFA				
67	26SHS0366	0	0	2	7.96	35	22.5	<b>67.46</b>		TVL-AFA				
68	26SHS0367	0	10	10	7.92	35	20	<b>82.92</b>		TVL-HE				
69	26SHS0368	0	0	0	7.9	35	25	<b>67.90</b>		TVL-HE				
70	26SHS0369	0	10	10	7.68	32.67	22.5	<b>82.85</b>		TVL-HE				
71	26SHS0370	0	10	10	7.54	33.83	25	<b>86.37</b>		TVL-HE				
72	26SHS0371	0	10	0	7.52	35	22.5	<b>75.02</b>		TVL-HE				
73	26SHS0372	0	10	10	7.52	30.33	15	<b>72.85</b>		TVL-HE				
74	26SHS0373	0	10	0	8.4	33.8	22.5	<b>74.70</b>		TVL-HE				
75	26SHS0374	0	10	0	8.02	30.33	25	<b>73.35</b>		TVL-HE				
76	26SHS0375	0	10	0	7.64	31.5	22.5	<b>71.64</b>		TVL-HE				
77	26SHS0376	0	10	0	7.62	35	17.5	<b>70.12</b>		TVL-HE				
78	26SHS0377	0	10	4	8.16	33.83	22.5	<b>78.49</b>		TVL-HE				
79	26SHS0378	0	10	2	7.5	35	17.5	<b>72.00</b>		TVL-HE				

80	26SHS0379	0	10	4	7.5	35	20	<b>76.50</b>		TVL-HE				
81	26SHS0380	0	10	0	7.7	33.83	20	<b>71.53</b>		TVL-HE				
82	26SHS0381	0	10	10	7.62	33.83	17.5	<b>78.95</b>		TVL-HE				
83	26SHS0382	0	10	6	7.72	33.83	20	<b>77.55</b>		TVL-HE				
84	26SHS0383	0	0	0	7.54	35	17.5	<b>60.04</b>		TVL-HE				
85	26SHS0384	0	10	0	7.82	35	20	<b>72.82</b>		TVL-HE				
86	26SHS0385	0	10	4	7.56	31.5	20	<b>73.06</b>		TVL-HE				
87	26SHS0386	2	10	2	8.26	32.66	25	<b>79.92</b>		TVL-HE				
88	26SHS0387	2	10	2	8.08	35	25	<b>82.08</b>		TVL-HE				
89	26SHS0388	0	10	2	7.84	35	22.5	<b>77.34</b>		TVL-HE				
90	26SHS0389	0	4	0	8.02	35	25	<b>72.02</b>		TVL-HE				
91	26SHS0390	0	10	10	7.58	35	20	<b>82.58</b>		TVL-HE				
92	26SHS0391	0	10	0	7.52	35	22.5	<b>75.02</b>		TVL-HE				
93	26SHS0392	0	10	10	7.56	35	20	<b>82.56</b>		TVL-HE				
94	26SHS0393	0	10	4	7.66	35	20	<b>76.66</b>		TVL-HE				
95	26SHS0394	0	10	10	7.82	35	15	<b>77.82</b>		TVL-HE				
96	26SHS0395	0	0	2	7.56	35	20	<b>64.56</b>		TVL-HE				
97	26SHS0396	0	10	8	7.68	35	25	<b>85.68</b>		TVL-HE				
98	26SHS0397	0	10	8	7.7	35	22.5	<b>83.20</b>		TVL-HE				
99	26SHS0398	0	10	0	7.5	35	20	<b>72.50</b>		TVL-HE				
100	26SHS0399	0	0	0	7.6	31.5	25	<b>64.10</b>		TVL-HE				
101	26SHS0400	0	10	4	7.6	33.83	22.5	<b>77.93</b>		TVL-HE				
102	26SHS0401	2	10	10	7.92	33.83	20	<b>83.75</b>		TVL-HE				
103	26SHS0402	0	10	4	8	33.8	25	<b>80.80</b>		TVL-HE				
104	26SHS0404	0	10	8	7.74	33.83	22.5	<b>82.07</b>		TVL-HE				
105	26SHS0406	6	10	10	7.5	33.83	20	<b>87.33</b>		TVL-HE				
106	26SHS0407	0	10	4	7.5	33.25	15	<b>69.75</b>		TVL-HE				
107	26SHS0408	0	10	10	7.6	32.66	20	<b>80.26</b>		TVL-HE				
108	26SHS0409	0	10	8	7.68	33.83	22.5	<b>82.01</b>		TVL-HE				

109	26SHS0410	0	10	4	7.6	32.66	25	<b>79.26</b>		TVL-HE				
110	26SHS0411	0	10	0	8.36	33.83	22.5	<b>74.69</b>		TVL-HE				
111	26SHS0412	0	6	0	7.82	31.5	22.5	<b>67.82</b>		TVL-HE				
112	26SHS0413	0	10	8	7.5	35	15	<b>75.50</b>		TVL-HE				
113	26SHS0414	0	10	4	7.74	31.5	20	<b>73.24</b>		TVL-HE				
114	26SHS0415	0	10	6	7.56	34.42	22.5	<b>80.48</b>		TVL-HE				
115	26SHS0416	0	10	0	8.22	35	22.5	<b>75.72</b>		TVL-HE				
116	26SHS0417	0	10	0	7.58	35	15	<b>67.58</b>		TVL-HE				
117	26SHS0418	0	10	0	8.04	32.67	25	<b>75.71</b>		TVL-HE				
118	26SHS0420	0	10	4	7.84	35	25	<b>81.84</b>		TVL-HE				
119	26SHS0421	0	10	6	7.94	35	20	<b>78.94</b>		TVL-HE				
120	26SHS0422	0	10	4	7.5	32.7	20	<b>74.20</b>		TVL-HE				
121	26SHS0423	0	10	2	7.94	32.66	17.5	<b>70.10</b>		TVL-HE				
122	26SHS0424	0	10	4	8.06	35	20	<b>77.06</b>		TVL-HE				
123	26SHS0425	4	10	8	7.7	35	22.5	<b>87.20</b>		TVL-HE				
124	26SHS0426	0	10	6	7.94	35	22.5	<b>81.44</b>		TVL-HE				
125	26SHS0427	6	10	4	8	35	25	<b>88.00</b>		TVL-HE				
126	26SHS0428	0	10	8	7.52	33.83	20	<b>79.35</b>		TVL-HE				
127	26SHS0429	0	10	10	7.6	35	22.5	<b>85.10</b>		TVL-HE				
128	26SHS0430	0	10	0	7.68	32.66	17.5	<b>67.84</b>		TVL-HE				
129	26SHS0431	0	10	2	8.48	32.67	25	<b>78.15</b>		TVL-IA				
130	26SHS0432	0	10	4	8.08	35	22.5	<b>79.58</b>		TVL-IA				
131	26SHS0433	0	10	10	7.64	33.83	17.5	<b>78.97</b>		TVL-IA				
132	26SHS0434	0	10	10	7.82	35	15	<b>77.82</b>		TVL-IA				
133	26SHS0435	0	10	0	7.86	34.22	20	<b>72.08</b>		TVL-IA				
134	26SHS0436	0	10	0	8.28	33.83	20	<b>72.11</b>		TVL-IA				
135	26SHS0437	0	10	0	7.62	31.5	20	<b>69.12</b>		TVL-IA				
136	26SHS0438	0	10	0	7.52	32.67	17.5	<b>67.69</b>		TVL-IA				
137	26SHS0439	0	10	10	7.72	32.66	20	<b>80.38</b>		TVL-IA				

138	26SHS0440	0	10	0	7.56	31.5	20	<b>69.06</b>		TVL-IA					
139	26SHS0441	0	10	8	7.62	33.83	17.5	<b>76.95</b>		TVL-IA					
140	26SHS0442	0	10	2	7.5	31.5	17.5	<b>68.50</b>		TVL-IA					
141	26SHS0443	0	10	6	7.76	33.83	17.5	<b>75.09</b>		TVL-IA					
142	26SHS0444	0	10	2	7.64	35	17.5	<b>72.14</b>		TVL-IA					
143	26SHS0445	2	10	10	7.62	32.66	20	<b>82.28</b>		TVL-IA					
144	26SHS0446	0	10	6	7.72	29.17	20	<b>72.89</b>		TVL-IA					
145	26SHS0447	0	10	4	7.5	35	22.5	<b>79.00</b>		TVL-IA					
146	26SHS0448	0	10	6	7.54	33.83	22.5	<b>79.87</b>		TVL-IA					
147	26SHS0449	0	10	6	7.7	34	17.5	<b>75.20</b>		TVL-IA					
148	26SHS0450	10	10	10	7.54	32.66	20	<b>90.20</b>		TVL-IA					
149	26SHS0451	6	10	10	7.66	35	20	<b>88.66</b>		TVL-IA					
150	26SHS0452	0	10	10	7.52	32.66	20	<b>80.18</b>		TVL-IA					
151	26SHS0453	0	10	10	7.82	32.66	17.5	<b>77.98</b>		TVL-IA					
152	26SHS0454	6	10	2	8.18	33.83	25	<b>85.01</b>		TVL-IA					
153	26SHS0455	0	10	10	8.16	35	22.5	<b>85.66</b>		TVL-IA					
154	26SHS0456	0	10	4	8.26	35	22.5	<b>79.76</b>		TVL-IA					
155	26SHS0457	10	10	0	7.8	35	22.5	<b>85.30</b>		TVL-IA					
156	26SHS0458	0	10	8	8.12	35	22.5	<b>83.62</b>		TVL-IA					
157	26SHS0459	0	10	4	8.28	33.83	22.5	<b>78.61</b>		TVL-IA					
158	26SHS0460	2	10	2	7.88	32.67	15	<b>69.55</b>		TVL-ICT					
159	26SHS0461	10	10	4	7.82	35	20	<b>86.82</b>		TVL-ICT					
160	26SHS0462	0	10	10	7.5	28	15	<b>70.50</b>		TVL-ICT					
161	26SHS0463	0	10	10	7.5	35	20	<b>82.50</b>		TVL-ICT					
162	26SHS0464	4	10	10	7.74	35	25	<b>91.74</b>		TVL-ICT					
163	26SHS0465	0	10	2	8.3	35	25	<b>80.30</b>		TVL-ICT					
164	26SHS0466	0	10	4	7.74	35	25	<b>81.74</b>		TVL-ICT					
165	26SHS0467	0	10	6	7.5	32.66	17.5	<b>73.66</b>		TVL-ICT					
166	26SHS0506	0	10	6	8.14	35	25	<b>84.14</b>		TVL-HE					

167	26SHS0559	0	10	0	7.5	31.5	17.5	<b>66.50</b>		TVL-AFA				
168	26SHS0582	2	10	0	8.54	35	25	<b>80.54</b>		TVL-HE				
169	26SHS0584	10	10	10	8.04	33.83	20	<b>91.87</b>		TVL-IA				
170	26SHS0627	0	10	0	8.52	33.83	22.5	<b>74.85</b>		TVL-IA				
171	26SHS0637	0	10	4	7.54	33.83	22.5	<b>77.87</b>		TVL-AFA				
172	26SHS06558	0	10	0	7.5	35	17.5	<b>70.00</b>		TVL-HE				
173	26SHS0727	0	10	4	7.64	35	25	<b>81.64</b>		TVL-ICT				
174	26SHS0728	0	10	2	7.82	35	20	<b>74.82</b>		TVL-HE				
175	26SHS0729	0	10	2	7.9	35	25	<b>79.90</b>		TVL-HE				
176	26SHS0730	0	10	4	7.92	35	22.5	<b>79.42</b>		TVL-AFA				
177	26SHS0731	0	10	8	7.5	35	25	<b>85.50</b>		TVL-HE				
178	26SHS0733	0	10	0	7.72	35	25	<b>77.72</b>		TVL-HE				
179	26SHS0735	0	10	8	8.38	35	22.5	<b>83.88</b>		TVL-IA				
180	26SHS0736	0	10	0	7.68	35	22.5	<b>75.18</b>		TVL-AFA				
181	26SHS0737	0	10	2	7.54	35	22.5	<b>77.04</b>		TVL-IA				
182	26SHS0738	0	10	0	7.5	35	20	<b>72.50</b>		TVL-ICT				
183	26SHS0739	0	10	6	8.2	35	25	<b>84.20</b>		TVL-HE				
184	26SHS0740	0	10	0	8.12	35	25	<b>78.12</b>		TVL-HE				
185	26SHS0743	6	10	0	7.62	35	22.5	<b>81.12</b>		TVL-AFA				
186	26SHS0747	0	10	2	7.64	35	22.5	<b>77.14</b>		TVL-HE				
187	26SHS0749	0	10	0	7.68	35	17.5	<b>70.18</b>		TVL-HE				
188	26SHS0750	0	10	0	7.7	35	25	<b>77.70</b>		TVL-AFA				
189	26SHS0757	0	10	0	8.44	35	25	<b>78.44</b>		TVL-IA				
190	26SHS0758	0	10	2	7.5	33.83	25	<b>78.33</b>		TVL-AFA				
191	26SHS0759	0	10	2	7.82	35	25	<b>79.82</b>		TVL-HE				
192	26SHS0760	0	10	0	8.04	33.83	22.5	<b>74.37</b>		TVL-HE				
193	26SHS0762	0	10	0	8.02	35	25	<b>78.02</b>		TVL-HE				
194	26SHS0765	0	10	4	7.88	35	25	<b>81.88</b>		TVL-HE				
195	26SHS0766	6	10	0	8.16	33.83	22.5	<b>80.49</b>		TVL-AFA				

196	26SHS0768	0	10	0	8.48	31.5	25	<b>74.98</b>		TVL-AFA				
197	26SHS0771	0	10	0	7.5	35	20	<b>72.50</b>		TVL-AFA				
198	26SHS0777	0	10	0	7.74	33.83	22.5	<b>74.07</b>		TVL-AFA				
199	26SHS0778	0	10	0	7.52	35	25	<b>77.52</b>		TVL-HE				
200	26SHS0779	0	10	0	7.68	35	20	<b>72.68</b>		TVL-HE				
201	26SHS0784	10	10	2	7.6	35	22.5	<b>87.10</b>		TVL-AFA				
202	26SHS0785	0	10	0	7.78	35	25	<b>77.78</b>		TVL-AFA				
203	26SHS0786	8	10	0	8.14	35	25	<b>86.14</b>		TVL-HE				
204	26SHS0787	0	10	8	7.74	35	20	<b>80.74</b>		TVL-AFA				
205	26SHS0788	0	10	0	7.58	31.5	22.5	<b>71.58</b>		TVL-HE				
206	26SHS0789	0	10	0	7.52	35	25	<b>77.52</b>		TVL-AFA				
207	26SHS0790	4	10	4	7.8	35	20	<b>80.80</b>		TVL-IA				
208	26SHS0791	0	10	0	7.92	33.83	25	<b>76.75</b>		TVL-AFA				
209	26SHS0792	0	10	2	7.8	35	25	<b>79.80</b>		TVL-HE				
210	26SHS0793	0	10	0	7.5	35	25	<b>77.50</b>		TVL-AFA				
211	26SHS0795	0	10	0	7.66	35	25	<b>77.66</b>		TVL-AFA				
212	26SHS0796	0	10	2	7.62	35	25	<b>79.62</b>		TVL-IA				
213	26SHS0799	0	10	0	7.82	35	25	<b>77.82</b>		TVL-HE				
214	26SHS0800	4	10	4	7.88	35	25	<b>85.88</b>		TVL-IA				
215	26SHS0803	0	10	10	7.52	33.25	15	<b>75.77</b>		TVL-IA				
216	26SHS0804	0	10	8	7.88	35	25	<b>85.88</b>		TVL-AFA				
217	26SHS0806	2	6	8	7.5	35	22.5	<b>81.00</b>		TVL-IA				
218	26SHS0807	0	10	0	8.2	35	17.5	<b>70.70</b>		TVL-HE				
219	26SHS0808	0	10	0	7.88	35	22.5	<b>75.38</b>		TVL-IA				
220	26SHS0811	0	10	4	7.5	32.67	20	<b>74.17</b>		TVL-AFA				
221	26SHS0812	0	10	4	7.5	33.85	22.5	<b>77.85</b>		TVL-HE				

Prepared by the HRMPSB

Appointment conferred by:

EUNICE V. TARINGTING  
HRMO  
HRMPSB Member

SYLVIA D. VILLANUEVA  
Chief, CID  
HRMPSB Member

NOE M. HERMOSILLA  
Chief, SGOD  
HRMPSB Member

MICHELLE D. CAGUIMBAL  
Administrative Officer  
HRMPSB Member

REY F. BULAWAN, EdD  
Assistant Schools Division Superintendent  
HRMPSB Chairperson

GAUDENCIO C. ALJIBE JR., PhD, CESO V  
Schools Division Superintendent  
Appointing Authority